











PENJECTION

The PGM-FI system optimizes fuel and air for efficient combustion, ensuring steady power and better mileage.

















## HAVE FUN WITH COLOURS,





IMPERIAL RED METALLIC

MAT MARVEL BLUE







MAT AXIS GRAY METALLIC

PEARL IGNEOUS BLACK

PEARL IGNEOUS BLACK + PEARL DEEP GROUND GRAY



## Technical Specification\*

Emmin	Body Dimensions	
	Length	1808 mm
	Width	677 mm
	Height	1151 mm
	Wheel Base	1260 mm
	Ground Clearance	160 mm
	Seat Length	650 mm
	Kerb Weight	106 kg
	Fuel Tank Capacity	5.3 L
	Engine	
	Туре	4 Stroke, SI Engine
	Displacement	109.51 cc
	Max Net Power	5.85 kW @ 8000 rpm
	Max Net Torque	9.03 N-m @ 5500 rpm
	Bore	47.0 mm
	Stroke	63.121 mm
	Fuel System	PGM - FI
	Compression Ratio	10.0:1
	Air Filter Type	Viscous Paper Filter
	Starting Method	Kick / Self
	Transmission	
	Clutch Type	Automatic
	Tyres & Brakes	
		90/90-12 54J
	Tyres & Brakes	90/90-12 54J 90/100-10 53J
	Tyres & Brakes  Tyre Size (Front)	
	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)	90/100-10 53J
	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)  Tyre Type (Front)  Tyre Type (Rear)  Brake Type & Size (Front)	90/100-10 53J Tubeless
	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)  Tyre Type (Front)  Tyre Type (Rear)	90/100-10 53J Tubeless Tubeless
	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)  Tyre Type (Front)  Tyre Type (Rear)  Brake Type & Size (Front)	90/100-10 53J Tubeless Tubeless Drum - 130 mm
OUNTA:	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)  Tyre Type (Front)  Tyre Type (Rear)  Brake Type & Size (Front)  Brake Type & Size (Rear)	90/100-10 53J Tubeless Tubeless Drum - 130 mm
	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)  Tyre Type (Front)  Tyre Type (Rear)  Brake Type & Size (Front)  Brake Type & Size (Rear)  Frames & Suspensions	90/100-10 53J Tubeless Tubeless Drum - 130 mm Drum - 130 mm
	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)  Tyre Type (Front)  Tyre Type (Rear)  Brake Type & Size (Front)  Brake Type & Size (Rear)  Frames & Suspensions  Frame Type	90/100-10 53J Tubeless Tubeless Drum - 130 mm Drum - 130 mm
	Tyre Size (Front) Tyre Size (Rear) Tyre Type (Front) Tyre Type (Rear) Brake Type & Size (Front) Brake Type & Size (Rear)  Frames & Suspensions  Frame Type Front	90/100-10 53J Tubeless Tubeless Drum - 130 mm Drum - 130 mm Underbone Telescopic
	Tyres & Brakes  Tyre Size (Front)  Tyre Size (Rear)  Tyre Type (Front)  Tyre Type (Rear)  Brake Type & Size (Front)  Brake Type & Size (Rear)  Frames & Suspensions  Frame Type  Front  Rear	90/100-10 53J Tubeless Tubeless Drum - 130 mm Drum - 130 mm Underbone Telescopic

\*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Range (distance to empty), real time and average mileage readings may vary as per the variant and riding conditions • Dio 110 meets Bharat stage VI OBD-2B norms • Product shown in the picture may vary from the actual product available in the market • Accessories shown in the picture are not part of the standard equipment • All features and colours may not be part of all variants • \*Conditions apply.

**Honda Motorcycle and Scooter India Pvt. Ltd.** 

Head Lamp

Registered Office: Plot No. 1, Sector-03, IMT Manesar, Distt. Gurugram- 122050 (Haryana)

**Tel:** +91(0)124-2290011, +91(0)6712800, **Fax:** +91(0)124-6712999

Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda.hmsi.in

Dealer Stamp

Shree Grand Honda
53/62 Leader Road
Prayagraj
Tel: 9235442092
Mob: 9235442120

LED